
REWWOIR

Fireworks. They are synonymous with our celebration of Independence Day. Yet, the thrill of fireworks can also bring pain, and even death. In 2014, CPSC staff conducted a study of fireworks injuries from June 20 through July 20. Here's what we learned.

 \star 230 people on average go to the emergency room every day with fireworks-related injuries in the month around the July 4th holiday. \star 67% of these fireworks injuries in 2014 occurred

during the month surrounding July 4th.


 \star 9 people died due to 8 fireworks-related incidents. In at least 2 incidents, the victims WERE NOT THE USERS.



9%Reloadable Shells

Injuries by

Fireworks Type*



11% 11%

20-24

10-14


9%

45-64

26%

female

Injuries by Age



74%

Males were most injured from firecrackers,

sparklers, bottle rockets, novelty devices,

male

Roman candles and reloadable shells. Fireworks Safety Tips

 \bigstar Never allow children to play with

or ignite fireworks.

other mishap.

★ Never try to re-light or pick up fireworks that have not ignited fully. * Keep a bucket of water or a garden hose handy in case of fire or

- *Make sure fireworks are legal in your area before buying or using them. * Light fireworks one at a time,
- ★ More Fireworks Safety Tips www.cpsc.gov/fireworks

then move back quickly.

U.S. Consumer Product

Source: U.S. Consumer Product Safety Commission 2013 Fireworks Annual Report





